## **NeuSkin Ultra**

## **Medgluv**

Powder-Free Vinyl Exam Gloves, Stretch

NeuSkin Ultra Stretch Vinyl exam gloves are made from a vinyl formulation that helps provide elasticity and fit. They are soft and flexible, don easily and feel natural. Stretch Vinyl exam gloves are ideal for short-term use where there is minimal stress on the glove and a low-to-no risk of exposure to blood or other potentially infectious materials.


**ENHANCED FORMULATION** THAT PROVIDES **ELASTICITY AND FIT** 

## **Description:**

- · NeuSkin Ultra Synthetic vinyl powder-free stretch vinyl exam gloves are an advanced formulation stretch vinyl that conform to the hands for glove that gives outstanding tactile sensitivity with a unique softness and flexibility.
- The stretchy vinyl glove incorporates a unique PVC blend that looks and feels like latex gloves.
- Tapered at the cuff to minimize cuff roll down. Easy to put on and take off.
- Meets and exceeds ASTM D5250

Item	Description	Size	Packaging
MG3251	NeuSkin Ultra Stretch Vinyl Exam Glove	X-Small	150 eaches/box 10 boxes/case
MG3252	NeuSkin Ultra Stretch Vinyl Exam Glove	Small	150 eaches/box 10 boxes/case
MG3253	NeuSkin Ultra Stretch Vinyl Exam Glove	Medium	150 eaches/box 10 boxes/case
MG3254	NeuSkin Ultra Stretch Vinyl Exam Glove	Large	150 eaches/box 10 boxes/case
MG3255	NeuSkin Ultra Stretch Vinyl Exam Glove	X-Large	150 eaches/box 10 boxes/case

Item	Description	Size	Packaging
MG3251	NeuSkin Ultra Stretch Vinyl Exam Glove	X-Small	150 eaches/box 10 boxes/case
MG3252	NeuSkin Ultra Stretch Vinyl Exam Glove	Small	150 eaches/box 10 boxes/case
MG3253	NeuSkin Ultra Stretch Vinyl Exam Glove	Medium	150 eaches/box 10 boxes/case
MG3254	NeuSkin Ultra Stretch Vinyl Exam Glove	Large	150 eaches/box 10 boxes/case
MG3255	NeuSkin Ultra Stretch Vinyl Exam Glove	X-Large	150 eaches/box 10 boxes/case



Physical Properties				
Before Aging				
Tensile Strength: Ultimate Elongation:	28 MPa 450%			
After Aging				
Tensile Strength: Ultimate Elongation:	22 MPa 400%			

## Quality Standards

Manufactured in accordance with Quality System ISO 9001. Exceeds current ASTM 5250 Standards for critical defects (AQL 2.5). AQL for critical defects is 1.5.

Note: Specifications are subject to change without notice.





For additional information, please visit; www.medgluv.com Call 1-866-MEDGLUV (1-866-633-4588).

Keep out of sunlight. Sore in a cool dry place. Keep away from sources of ozone and ignition.









